

draft-ietf-lemonade- mms-mapping

The Light at the End of the Tunnel Is Not a Train

Status

- * -04 approved by IESG but appealed
- * Issues discussed on list ~6/10 - 7/5
- * Looks like consensus on x-headers ~6/28
- * IESG resolution allows group to revise

Issues (1)

- * Very little group discussion after -02
- * "SHOULD" retain X-MMS-Message-ID
- * Maps X-MMS-Priority to/from X-Priority as well as Importance
- * Suggests using comment instead of group syntax to indicate sender address hiding
- * "ESMTP" vs "SMTP"

Issues (2)

- * Text on address hiding in 'Sender Address' in 2.1.3.2
- * Text on media conversion in "Content type" in 2.1.3.2
- * Definition of "Gateway"
- * Phrase "Relay/Servers"

Issues (3)

- * Statement that 2821 requires null return-path for automatically-generated messages
- * Resent-Count header
- * Text on quoting and Resent and Received headers in "Resending/Forwarding" in 2.1.3.2.2

Issues (4)

- * Lack of specific response code in “Sensitivity” text
- * Security Considerations says that SMTP Auth protects against misidentification of message source
- * MMS references not normative
- * Bcc example in Section 3 is incorrect

Issues (5)

- * Hand-waving on creating Message-ID
- * Need text on unqualified addresses
- * Text on anonymous remailers and signed mail in Section 3 is silly
- * Incorrect or incomplete text in Section 3 (SMTP auth, S/MIME, PGP)

Issues (6)

- * Semantic mismatches between the Disposition-Notification-To header in [MDN] and the X-MMS-Read-Reply header
- * WG Review

Resolution

- * X-headers resolved on list
- * Need discussion on
 - * Sender address hiding
 - * MDN vs MMS read-reply
 - * Require null return path for automatically-generated messages?
- * Other text changes needed (-05)